

ProtaStructure® Suite

Structural Technology to Accelerate Your Project Delivery


- Fast multi-material building modelling using physical structural members
- State-of-the-art structural analysis methods
- Economical and reliable design
- Fully automated engineering drawings and fabrication detailing
- Complete quantities take-off for costing and comparison
- Leading BIM Integration for project coordination

ProtaStructure is an innovative BIM solution for structural engineers to model, analyze and design buildings quickly and accurately.



From one central model, easily compare different schemes and automate your steel and concrete design, significantly reducing project delivery time.

Produce high quality drawings and all design documentation from **ProtaStructure** automatically using **ProtaDetails** and **ProtaSteel**. Seamlessly coordinate projects with intelligent BIM integration.


ProtaStructure saves time and increases business profitability.







At First Glance



- Fast project delivery with fully integrated **Concrete, Steel and Composite Slab** design from one central structural BIM model.
- **Easy, quick, and intuitive** physical modeling and review with **Multiple Model Views** and **Dynamic Input**.
- **3D finite element analysis** with **state-of-the-art analytical model** with extensive analysis options and shell element support for floors and shearwalls.
- **Advanced analysis** techniques including Linear Elastic Analysis, Equivalent Static Earthquake Load, Response Spectrum Analysis, Time-History, Pushover, Concurrent cracked and uncracked analysis, Staged Construction, P-Delta, Temperature Difference, and Seismic Basement and Isolator considerations.




- Design to a range of leading **international codes** including **specialist seismic requirements**.
- Seismic assessment methodologies for Performance Based Design or Retrofit of buildings using **Linear Elastic, Nonlinear Pushover** or **Time-History** analyses.
- Fully automated **RC detailing** into your drawing sheets. **Manual drafting** using smart rebars. Change management and dynamic quantity tables together with Fast engineering macros including **retaining wall, stair, pool, pile analysis, design** and detailing.
- Flexible unit systematics supporting **SI, Imperial** and **MKS** systems.



- Automated steel connection using **IntelliConnect**.
- Complete steelwork engineering drawings together with comprehensive **part numbering** and **shop detailing for fabrication**.
- **Industry leading BIM integration** for starting, coordinating and sharing models
- **Interactive user experience** with extensive in-product learning, contextual help, live updates and dedicated technical support from Professional Engineers.

Why Prota Software?

Since its establishment in 1985, Prota Software has been a leading provider of structural engineering software solutions to professionals worldwide. Our revolutionary software solutions have been widely adopted by businesses in more than 85 countries, transforming the way they work.



Designed by Engineers for Engineers

Prota Software is dedicated to engineering excellence and improving the world. The Prota Team is actively involved in technical research, presenting papers at conferences and publications worldwide, and contributing to the development of codes of practice, particularly in earthquake design. Prota Engineering, our consulting firm, has successfully completed projects in over 30 countries, focusing on large commercial and infrastructure projects such as airports and metro lines. We utilize BIM technology to efficiently complete both traditional and design-build projects, prioritizing optimal design and practical construction methods. **ProtaStructure** is the result of our desire to share knowledge and is shaped by our internal expertise and the input of our numerous users worldwide.



Leading BIM Expertise

At Prota Software, open BIM collaboration and knowledge sharing are core principles that have been instrumental in successfully delivering some of the world's most demanding infrastructure and transportation projects. The introduction of **ProtaBIM** further solidifies Prota Software's position as a leading provider of advanced BIM technology by incorporating bi-directional links with the latest versions of Revit, IFC, DXF, SAF, and other recognized BIM and Analysis formats. Through this enhanced capability, models can be seamlessly synchronized and design changes can be tracked, greatly enhancing project coordination and improving workflow efficiency.



Advanced Analysis Features

Prota Software offers a wide range of analytic approaches for building design. From basic static, dynamic, and finite element analysis to advanced techniques like nonlinear static pushover, time history, construction stage, and P-Delta analysis, Prota Software has the tools and expertise necessary to meet your design needs. Our proprietary analytic approaches are specifically tailored for building design and have been proven effective on a variety of projects. Whether you need to analyze the structural integrity of a small residential building or a large-scale commercial development, Prota Software has you covered.



Code-Based Design Expertise

Prota Software's experience with delivering projects around the world coupled with close collaboration with users and industry experts means we understand structural design. At its core, **ProtaStructure** provides a sophisticated and flexible structural design engine allowing you to optimize your entire building from the roof to the foundations. All the detailed code-based checks are performed and documented to your chosen code of practice. A growing range of international and seismic codes of practice are supported including US, European, Indian and British Standards. Together with numerous, country specific, localisations.



Friendly Professional Support That Engages

Prota Software is devoted to improving its clients' experience with ProtaStructure Suite. Our primary objective is to provide our clients with knowledge and practical, user-friendly assistance. Our comprehensive Prota Help Center and in-product learning resources are intended to enrich your understanding. Our team of professional support engineers is enthusiastic about engaging with our clients, whether it be answering technical inquiries or providing hands-on training. Prota Software team is prepared to assist you with any needs you may have.

Leading Structural BIM Collaboration

Structural BIM at Its Core


ProtaStructure is natively designed with structural BIM in mind. We use intelligent physical objects to drive modeling, design, coordination and documentation.

Support for BIM Industry Standards

- ProtaStructure supports both import and export of IFC, 2D/3D DXF and SAF files enabling professionals to share the models between ProtaStructure and other leading BIM platforms including Autodesk Revit, ArchiCAD, and AllPlan.

Bi-directional Integration with Autodesk Revit

Prota Software has developed bespoke integration with **Autodesk Revit** to facilitate direct, seamless model coordination, providing tools to roundtrip and **synchronize changes** as they occur. Explore revisions with **color-coded visualization** and interactive **change logs**. Take advantage of new family mapping functionality providing you with a tailored experience to suit your BIM work processes and standards.





Analysis Model Collaboration

We understand that engineering offices use a range of different analysis and design tools to get the job done. Many firms and checking authorities also require structural engineers to cross-check and validate analysis results against other accepted platforms. **ProtaStructure** allows you to easily achieve this with **open intelligent model links** to OpenSees, ETABS™, SAP2000™, LUSAS™, SAF integration and more.


Output Reports and Drawings to Industry Standard Formats

- Create and share customizable and highly visual **calculation reports** featuring Microsoft Office and PDF export abilities.
- Detail drawings are fully compatible with industry standard **DXF and DWG formats**. All drawings in ProtaStructure follows best drafting practices and provide full layer, style and scaling flexibility.
- Bespoke templates customized to suit your **company drafting preferences** can also be easily established and re-used for any project. Additional formats including 3D DXF, STL and image files are also available.



Create Models from 2D and 3D Information

Modelling processes can even start with our DXF import where we can convert and **extrude drawings** into Physical ProtaStructure models. Line and face elements like column, beam, walls and slabs in 2D key plans and 3D DXF files can be quickly converted to 3D ProtaStructure models. Architectural drawings can be overlaid against structural floors to aid **coordination**.



Seismic Design and Analysis Capabilities

ProtaStructure provides engineers with comprehensive tools to design and detail buildings quickly and economically to meet rigorous earthquake standards including US and EC codes of practice.

Wide Coverage of Seismic Codes

ProtaStructure supports a wide range of seismic codes including IBC, UBC, EC8, NSCP, SNI, Indian, Thai, Peruvian, Colombian and Turkish standards.

Seismic Parameters and Response Spectra


Elastic and design response spectra are calculated automatically using code-specified parameters. Site-specific spectra can also be introduced. Mass sources are automatically calculated including consideration of varied live load participation.

Equivalent Static Earthquake Loads

Static earthquake loads are automatically calculated and applied at story levels. **Multiple diaphragms** and **accidental eccentricities** are taken into consideration.

Diaphragm Modeling and Story Meshing

ProtaStructure has smart features for automatically detecting and defining intelligent rigid diaphragms. Multiple towers with discrete independent floors, discontinuous, stepping, sloping slabs and openings are all considered. Any floor can be selectively meshed and assigned as a flexible diaphragm.



Strong Column-Weak Beam Checks

Tedious Strong Column-Weak Beam checks are automated at every joint. Joint checks are summated bi-directionally at every floor to ensure building collapse mechanisms perform in meeting accepted code provisions.

Joint Shear Checks

Overlooking joint shear can potentially cause catastrophic failure of buildings during earthquake events. **ProtaStructure** automatically detects Confined or Unconfined joints and checks against brittle failure.

Client Success



Seismic Forces on Non-Structural Members

Forces acting on non-structural members and their connections to the building can be calculated to **ASCE07**, **Eurocode 8**, and **TBDY2018**. You just need to define the non-structural members and **ProtaStructure** will automatically calculate the story accelerations and forces depending on the analysis type.


Seismic Separation of Buildings

To avoid pounding damage in adjacent buildings, a spacing must be provided between them. With the **Seismic Separation Design** tool, you can either load the displacements of an existing second **ProtaStructure** model or you can enter the displacement values of the second model manually. Calculations can be done to **ASCE07**, **Eurocode 8**, and **TBDY2018**.


Retrofitting and Assessment with CFRPs

ProtaStructure is capable of retrofitting and assessment of beam and column members confined with Carbon Fiber Reinforced Polymers (CFRPs). The CFRP confinement has a positive effect on shear resistance and axial load capacity of members. These effects can be considered according to the TBDY2018 seismic code. CFRP definition can be assigned to the members using the "Retrofit Using FRP" command on the right-click menu or contextual ribbon tab of the member.

Projects Gallery



Seismic Design and Analysis Capabilities



Response Spectrum Analysis

Mode superposition analysis can be used where static approach is not applicable. Modal results are combined with CQC. RSA base shear is automatically scaled to Equivalent Static results. Cumulative mass participation of modes is automatically calculated.

Two Stage Analysis for Upper and Lower Structure

An automated two stage analysis is performed in one-go for buildings with rigid basements. Different mass sources for upper and lower structure are automatically considered.

Vertical and Horizontal Irregularities

ProtaStructure has powerful features to assess building irregularities in accordance with earthquake code requirements. Floor Torsion, Diaphragm Discontinuity, Mass, Stiffness, Weak Storey and Non-parallel system irregularities are all checked, and any required penalties are applied.

TORSION IRREGULARITY CHECK: Run: Minimum Absolute Storey Drift Max: Maximum Absolute Storey Drift Δ: Relative Storey Drift (Source - Destination) Δ _{rel} / Δ _{max}			
EARTHQUAKE DIRECTION: 1 (Angle From X: 0.00 Deg) Load Case: Ex (Eqv. Static Seismic X (E-S))			
Storey	Δ _{rel} (mm)	Δ _{max} (mm)	Δ _{rel} / Δ _{max}
Storey: 6	0.00068	0.001172	0.000582
Storey: 5	0.00068	0.00098	0.000694
Storey: 4	0.00068	0.00088	0.000773
Storey: 3	0.00068	0.000423	0.001605
Storey: 2	0.00068	0.000184	0.003696
Storey: 1	0.00068	0.000044	0.015455

INTERSTOREY STRENGTH IRREGULARITY CHECK (Weak Storey) Run: Storey Height Max: Relative Storey Drift (Source - Destination) Δ _{rel} / Δ _{max}			
EARTHQUAKE DIRECTION: 1 (Angle From X: 0.00 Deg) Load Case: Ex (Eqv. Static Seismic X (E-S))			
Storey	A-Column (mm)	A-Wall (mm)	A-Total (mm)
Storey: 6	27500	18700	46200
Storey: 5	48800	11700	60500
Storey: 4	48800	11700	60500
Storey: 3	48800	11700	60500
Storey: 2	48800	11700	60500
Storey: 1	48800	11700	60500

INTERSTOREY STIFFNESS IRREGULARITY CHECK (Soft Storey): Run: Storey Height Max: Relative Storey Drift (Source - Destination) Δ _{rel} / Δ _{max}			
EARTHQUAKE DIRECTION: 1 (Angle From X: 0.00 Deg) Load Case: Ex (Eqv. Static Seismic X (E-S))			
Storey	Δ _{rel} (mm)	Δ _{max} (mm)	Δ _{rel} / Δ _{max}
Storey: 6	0.001006	0.001107	0.000908
Storey: 5	0.000803	0.000888	0.000904
Storey: 4	0.000803	0.000888	0.000904
Storey: 3	0.000803	0.000888	0.000904
Storey: 2	0.000803	0.000888	0.000904
Storey: 1	0.000803	0.000888	0.000904

Linear and NonLinear Seismic Isolators


Seismic isolators can be inserted anywhere on the structure for different seismic isolation scenarios. Both upper and lower structure design can be performed in **ProtaStructure** target code spectra or ground motions. Nonlinear isolator properties can be considered in time-history analysis. Outputs like storey drifts, accelerations, internal forces, isolator displacements are reported as a part of the design.

Nonlinear Fiber Analysis of Sections

- Column, beam, and Wall sections can be modeled with fiber elements using distributed plasticity and analyzed with state-of-the-art numerical techniques to derive the Moment-Curvature relationships.
- Force-deformation relationships for integration points are obtained from detailed fiber section analysis.


Consider Cracked and Uncracked Sections in One Analysis Run

Cracked and uncracked section properties can be simultaneously used in the same analysis for different load cases. Code modification defaults can be automatically applied to section properties.



Nonlinear Static Pushover

- Single Mode Static Pushover analysis is performed using **ProtaStructure - OpenSees integration**. Parameters such as the number of steps and target displacements can be controlled by the user.
- After the analysis, the Capacity Curve is obtained. Users can specify the monitored node for which the curve will be generated. Results can be examined at any desired step. A detailed performance assessment report is generated afterwards.



Request a Quote


Seismic Analysis and Design Capabilities

Ductile Member Design and Detailing

Columns, walls, and beams are designed to special ductility requirements. Automated confinement of beam and column critical sections, wall end zones (boundary elements), wall design envelope, capacity shear design and much more are automatically considered.

Diaphragm Integrity and Load Transfer Checks

Transfer of inertia loads between slabs and lateral load resisting members including shearwalls and collector beams is automatically verified. For flexible diaphragms, in-plane shear, tension and compression stresses are checked to prevent diaphragm failure.



ProtaStructure for Performance-Based Design and Building Assessment

Prota provides unique tools for engineers to carry out performance-based building assessment.


Performance Goal: Controlled Damage - Earthquake Level: DD2 Assessment Report

Performance Assessment Report

Earthquake Level	Performance Goal	Direction	Most Critical Storey	Determined Building Performance Level	Status
DD2	Controlled Damage	Q1		Collapse Prevention	X


Earthquake Level: DD2 - Performance Goals are not Satisfied X

Pushover Curve



Wall Coupling Beams



Special attention is provided for coupling beams. Different cracked section properties can be defined. The wall-beams assembly is checked for coupled wall effectiveness.



Nonlinear Time-History Analysis

- Nonlinear Time-History analysis can be performed using **ProtaStructure - OpenSees integration**.
- User selected multiple ground motions can be applied simultaneously in X and Y directions. Ground motion application direction is rotated by 90 degrees, and analyses are repeated.
- Ground motion records are automatically scaled by **ProtaStructure** to your design requirements using the **simple scaling method** between 0.2T and 1.5T.
- Analysis results from multiple ground motion sets are automatically post-processed. The average values of absolute maximum responses are extracted and used to prepare detailed performance assessment reports. Nonlinear Properties of Seismic Isolators can be considered in Time-History analysis.

GM1_Z1_Landem_1992



Time History Parameters

Analysis Label	Ground Motion Label	Label of Ground Motion in X-Direction	Label of Ground Motion in Y-Direction	Scale Factor	Total Duration	Analysis Time Step
GM1_Z1_Landem_1992_X	GM1_Z1_Landem_1992	Z1_Landem_1992_ABY090	Z1_Landem_1992_BXK140	2.55	49.98	0.02

Design Codes



Structural engineers around the world like to employ their own local approaches to both design and detailing. At Prota Software we understand this and we offer a broad range of leading international codes as well as provide specific customization to satisfy local requirements.

Reinforced Concrete Design Codes

Code Name/Abbreviation	Country
ACI318 [2008]	United States
ACI318 [2011]	United States
AC1318 [2014]	United States
ACI318 [2019]	United States
BS8110 [1997]	United Kingdom
CP65	Singapore
HK [2004]	Hong Kong
TS500 [2000]	Turkey
NTE-060*	Peru
SNI 2847 [2019]*	Indonesia
NSCP [2015]*	Philippines
IS 456-2000	India
NSR-10 C	Colombia
Eurocode 2 Base Code	European Union
Eurocode 2 (UK)	United Kingdom
Eurocode 2 (IR)	Ireland
Eurocode 2 (SG)	Singapore
Eurocode 2 (MY)	Malaysia
Eurocode 2 (HK)	Hong Kong
Eurocode 2 (PL)	Poland

* Only RC beam design is supported at the moment

Loading and Wind Codes

Code Name/Abbreviation	Country
ASCE07 20101	United States
ASCE07 [2016]	United States
BS6399	United Kingdom
DPT 1311-50	Thailand
IS 875-2015	India
NSCP [2015]	Philippines
NSR-10 B	Colombia
NTE-020	Peru
TS498	Turkey
MS 1553 [2002]	Malaysia
Eurocode 1 Base Code	European Union
Eurocode 1 (UK)	United Kingdom
Eurocode 1 (IR)	Ireland
Eurocode 1 (SG)	Singapore
Eurocode 1 (MY)	Malaysia
Eurocode 1 (HK)	Hong Kong
Eurocode 1 (PL)	Poland
Eurocode 1 (RO)	Romania

Steel Design Codes

Code Name/Abbreviation	Country
AISC360-10 (LRFD, ASD)	United States
BS5950	United Kingdom
Eurocode 3 Base Code	European Union
Eurocode 3 (UK)	United Kingdom
Eurocode 3 (PL)	Poland
Eurocode 3 (SG)	Singapore
Eurocode 3 (ML)	Malaysia
TSC 2016 (LRFD, ASD)	Turkey
IS 800-2017	India

Seismic Codes

Code Name/Abbreviation	Country
IBC [2018]	United States
UBC [1997]	United States
SNI 1726 [2019]	Indonesia
NSCP [2015]	Philippines
DPT 1301/1302-61	Thailand
IS 1893 [2016]	India
NSR-10 A	Colombia
NTE-030	Peru
TDY2007	Turkey
TBDY2018	Turkey
P100 [2013]	Romania
Eurocode 8 Base Code	European Union
Eurocode 8 (SG)	Singapore
Eurocode 8 (MY)	Malaysia


Composite Beam / Slab Design Codes

Code Name/Abbreviation	Country
Eurocode 4	European Union
AISC 360-16	United States
TSC 2016	Turkey



Prestressed Beam Design Codes

Code Name/Abbreviation	Country
40 318 20181 and DC Manual	United States
Eurocode 2	European Union
TS3233	Turkey


Project References




Istanbul New Airport
Prefabricated Slabs
Total Area: 1.500.000 sq. meters




Bartın Public Hospital
Seismically Isolated Building
Total Area: 52.000 sq. meters





AllSancak Residences
High-Rise Concrete Building
Total Area: 110.000 sq. meters



Thu Thiem 2HA Residences
Cast-In-Place Concrete Load-Bearing System
Total Area: 20.000 sq. meters





Marmara Basibuyuk Research Hospital
*Retrofit and Assessment with Seismic Isolators
(Existing columns and walls are cut in place)*
Total Area: 112.400 sq. meters



Yacht Maintenance Facilities
Steel Moment Resisting Frames
Total Area: 22.000 sq. meters



Sahara Tower
High-Rise Concrete Building
Number of Floors: 33-storey




Onyx Ankara Residential Complex
Reinforced Concrete Frame Structure
Total Area: 20.000 sq. meters




**Women and Children Development Initiative
Foundation Center**
RC Structure with Steel Truss Roof System
Total Area: 20.000 sq. meters

Project References




Capa & Cerrahpasa Healthcare Campus

Cast-In-Place Concrete Frame Structure
Total Area: 1.000.000 sq. meters




TED College School Building

Cast-In-Place Concrete Frame Structure
Total Area: 141.000 sq. meters



Turkcell Data Center

Cast-In-Place Concrete Load-Bearing System
Total Area: 15.000 sq. meters




Serdang Cardiology Hospital

Cast-In-Place Concrete Frame Structure
Total Area: 30.000 sq. meters




High Rise Residential Kuala Lumpur

High-Rise Concrete Building
Total Area: 65.000 sq. meters





Malatya State Hospital

Seismically Isolated Building
Total Area: 52.300 sq. meters



THY Maintenance Repair Overhaul Facilities

Composite Hangar with RC and Steel Members
Total Area: 431.143 sq. meters



Hospital Building


RC Structure with Steel Frame
Total Area: 8.550 sq. meters




Manisa Merkez Efendi State Hospital

Seismically Isolated Building
Total Area: 115.000 sq. meters


Project References




Raid Tower
High-Rise Residential Concrete Building
Total Area: 5000 sq. meters





**Laboratorium Kalibrasi
Metrologi DKI Jakarta**
Steel Moment Resisting Frames
Total Area: 1075 sq. meters




Chekka Municipal Stadium Roof
Steel Construction Roof System
Total Area: 5000 sq. meters





Playground Roof
Steel Construction Roof System
Total Area: 433 sq. meters





Hexagon Ankara
High-Rise Concrete Building
Number of Floors: 13-storey




1,000 Tons Capacity RC + Steel Facility
RC & Steel Industrial Building
Total Area: 2500 sq. meters



Residential Building
Reinforced Concrete Frames
Total Area: 615 sq. meters




Santo Domingo Pedestrian Bridge
Steel Structure
Main Span: 54 meters



Yapi Akademisi Hotel Building
High-Rise Concrete Building
Number of Floors: 10-storey

Project References



CCECC Office Complex

High-Rise Concrete Building
Number of Floors: 19-storey




Majucita Office Tower

High-Rise Concrete Building
Total Area: 32.000 sq. meters




KL High Rise Commercial Building

High-Rise Concrete Building
Total Area: 90.000 sq. meters




Tokat Erbaa State Hospital

Seismically Isolated Building
Total Area: 28.654 sq. meters




Rizal Hood Multi-Purpose Building

Multi-Purpose Concrete Building
Total Area: 34.000 sq. meters



Industrial Structure

Braced Frames
Total Area: 960 sq. meters



LYS Complex

Concrete Frame Structure
Total Area: 26.000 sq. meters




MPA Public Building

Cast-In-Place Concrete Frame Structure
Total Area: 18.000 sq. meters



Steel Hangar Building


Braced Frames
Total Area: 1320 sq. meters





Modelling

With its focus on structural BIM modelling, **ProtaStructure** allows **physical RC, Steel and Composite** structural members to be **easily, quickly and intuitively** defined in one model.


- Instantly **create models using smart DXF import** to extrude gridlines, beams, columns, slabs and shearwalls directly from structural or architectural drawings or make use of physical **BIM links** with IFC's, Revit or 3D DXFs to establish complete models with a click.
- Use dynamic input to rapidly create Concrete **beam, columns, slabs, foundations** and **shearwalls** and custom shaped **corewalls** and **columns**. Define **openings, drops** and **physical set out** to exactly define your project.
- Use real structural steel elements including **truss, purlin, brace, girt, sag rods** with flexible parametric macros. Specify your **splice locations** on steel columns, beams and trusses.
- Insert **steel dome** members with the help of the highly parametric wizard.
- Make use of the new general purpose **frame member** to model irregular arrangements with ease. Insert **curved** and **arch** frame members in any plane orientation in 3D. Use the **Frame Group** member to quickly define multiple frames within a region.



- Insert **primary** and **secondary composite frames** and **composite slabs** to create composite slab systems.
- **Merge different model parts together** allowing concurrent modelling for rapid project creation.
- Fast generation of multiple storeys with **similar storey** feature.
- Simultaneously work on different floor plans and 3D model with **multiple window system**. Easy access to parts of model with element **Filters**.
- Define different materials and reinforcement steel grades **on floor** and **element basis throughout the project**.



- Define conventional, waffle, precast and flat slabs with **curved** and **irregular edges** and **drop head** panels.
- Create **Raft, Piled-Raft, Pad Base, Pile Cap** and **Combined foundations** together with **Strip Footings** and **Foundation Beams** for complete foundation design. Set foundations up at **any level**.
- Build **custom trusses** using the truss editor and save them in the library for later use. Define multiple horizontal and vertical **braces** and use flexible purlin layout generators.




- Create **Arc** and **multi-segment axes/beams, sloping members** and structures with non-orthogonal plans.
- **Anchor** fixed column and beam positions to corners and edges. When section sizes change, anchored positions are retained.
- Model **sloping slabs, beams, columns** and sloping and tapered **shearwalls** easily using planes or multi gridlines.
- Assign flexible user-defined supports including springs under columns and shearwalls.


Loading

Prota Software's unique loading processes are highly automated and accurate, saving you time and driving efficient design.

- Automatically decompose loads from plate, ribbed and waffle slabs, using **Yield Lines** and/or **Finite Element Methods**. Apply point, line and patch loads to slabs.
- Assign point, function, distributed, area loads and concentrated moments to members in any direction with the new interactive loading editor.





- Apply point, distributed and functions loads to truss members and truss joints. Concentrated moments can be applied as well.




- Visualize and inspect the loads on the physical model in 3D.
- Easily apply roof live loads, snow and rain loads to slab members.
- Import **point loads from Excel files** and assign to multiple columns easily for multiple load cases.

Create user-defined gravity and imposed load cases and assign loads to them. Categorize and review gravity loads on your structure and apply different combination factors where necessary.

Getting Started



- Check model loads, finishes, elements sizes and properties using color coded **visual interrogation**.




- Automatic calculation of code-based seismic loads using **Equivalent Static** and **Response Spectrum Analysis** methods.
- Automatic Wind Load Calculation** to EN 1991-4 (2005), BS6399-2 (1997), ASCE07 (2010), MS 1533 (2002), S875 (2015), NSCP (2015), NSR-10 (Colombia), Thailand and Peru codes.
- Automatic Snow Load Calculation** to EN1991-1-3 and TS498
- Calculate static and dynamic soil thrust on basement or cantilever walls by entering water table and soil profile.




Analysis

Structural analysis is performed by specifically developed 64-bit 3D finite element solver and state-of-the-art analytical model.


- Rapid analysis using multi-cores and pre-processing technology.
- Analysis of slab systems independently or **integrated with the structure** by using finite elements.
- Automatic **rigid links, rigid zones** and **asymmetrical end-releases** on frame members.
- Analysis of shearwalls and custom shaped corewalls with or without openings using **shell elements, mid-pier** and **single-pier** models.



- Manage multiple analyses at the same time using the "Analysis Manager".
- Review the analysis results in a single integrated post-processor with a unified and performant animation, contouring, diagramming and rendering engine.




- **Construction Stages, P-Delta** analysis and definition of equal/gradient **temperature differences**.
- Special **Seismic** Analysis considerations.
- **Soil-Structure Interaction Analysis** for all types of foundations in a single run.
- **Sophisticated Post Analysis checks** for reviewing code compliance including deflections.
- Real-time visualization of stress contours, deformations, force and moment **diagrams** for all load cases, combinations and envelopes with ease using the full-featured **Analysis Post-Processor**.
- Visualize the slab strip diagrams and station nodes on 3D analytical model including user-defined integral strips.





Design

Design is the very essence of what we do as Structural Engineers. Providing elegant, practical solutions to design is at the heart of **ProtaStructure**


- **Interactive and batch concrete beam and column design including reinforcement optimizations, design grouping and user-defined rebar patterns.**
- **Biaxial design** and reinforcement optimization of columns and shearwalls with any section. Generation of interaction diagrams and capacity reports for easy design tracking.
- Design of shearwalls and slabs using conventional or **mesh** reinforcement.



- Selection of the most efficient **steel profile** based on active codes.
- Automatic design of **steel connections** using **IntelliConnect** and ability to reuse at all similar joints.
- **Integrated meshing** and analysis of slab and foundation systems with the building model.
- Design of **composite slabs** with segmented or uniform shear studs considering construction and **final stages**.
- **Advanced documentation tools** including ordered report sets, integration of external reports, table of contents, smart notification system (summary of warning, error and information messages).
- **Detailed design reports** with step-by-step calculations, formulas and **code references**.



- Automatically create reinforcement layouts for columns and **corewalls** with **"I, H, L, T, U, E, +"** or **arbitrary complex** sections.
- Automatically create **end zones (boundary elements)** for rectangular and core walls. Specify end zone or web reinforcement easily.
- Code-based **automatic containment tools** to specify link and tie-bar layouts compatible with column sections of any shape and size.
- Design economically and accurately by including **column sections** in FE mesh and considering openings, drops and loads on slabs in FE analysis.
- Design **economical flat slabs** and **raft foundations** by automated **base reinforcement** and **slab patch panels** for additional support bars.
- Design of flat, ribbed, waffle slab systems using analytical and finite elements methods and automatic punching checks.





- Design **pad bases, pile caps, strip foundations, rafts, piled rafts, and combined foundations** using analytical and finite element methods.
- **Combine different models** to cater for shared foundation systems.
- Use different **vertical and horizontal subgrade coefficients** and **varied thicknesses** for within raft foundations.
- Finite Element analysis of foundations at different elevations, stepped foundations.




Engineers have longed for the ability to automatically create all RC detailing from the design, intuitively laid out into drawing sheets, and complemented with full drafting and editing capability.

- Automatically **produce details** from your **ProtaStructure** design models into your drawing sheets, only with one click.
- Carry out **all your drafting** using standard CAD drawing commands without the need for other CAD software. Features include extensive **command-line** support and customization, **DWG/DXF support**, dimensions, layers, style, **intelligent undo/redo** and much more...
- Generate **dynamic quantity tables** with **full bar bending schedules**, which are updated instantly when changes occur.
- Customize drawings with your **own title blocks** with auto referencing including all project and sheet information.



- Make use of **smart rebar library**, **intelligent detailing items** and **tools** to perform **semi-automatic structural drafting** for the cases where a full automation is not possible.
- **Automatically** or manually **truncate beam elevations** to fit any sheet layout.
- Convert your old reinforcement drawings to smart rebars and instantly provide steel quantity take off.
- Insert details with different drawing scales side-by-side on the same sheet. **Smart scaling system** automatically manages all relevant texts, object sizes and dimensions.
- **Automatically update design detail changes** from **ProtaStructure** as they occur.



Use **ProtaDetails'** growing library of intelligent macros to design and detail other components in your projects including;


- Automated analysis, design and detailing of **cantilever retaining walls**.
- Design of **RC Stairs, Pile Caps, Corbels, Steel Scaffold Systems, Swimming Pools** and more including all details, quantities and calculation reports.
- Design your **piles** using detailed soil profiles for **pile working load assessment**, iterative non-linear **lateral pile analysis** and **pile section design**.
- Produce **engineering details** for other components including Culverts, Retrofit Walls, Foundation Pits, Pad Bases, Walls, Continuous RC Beams and more.






Nowadays clients want practical, complete steel details and automated connection design to drive on-time project delivery and cost control.

ProtaSteel is the all-in-one steel detailing solution for engineers, fabricators and drafting professionals.




- Communicate **ProtaStructure** models seamlessly to **ProtaSteel** including all physical elements and analytical results.
- Use our unique **IntelliConnect** to rapidly automate connection design with a focus on constructability.
- Easily model and detail any steel connection using **Fully-featured Parametric Connection Libraries**.
- See the step-by-step **connection design calculations** with detailed **code clause referencing**.
- Insert **ancillary steel** including sag rods, purlins, girts, braces, stairs, chequer plate, railings, secondary beams and eaves beam to complete your model.
- Automatically **detect all clashes** between parts.



- Increased productivity with **unique connection macros** including truss apex, truss-column, **steel beam to concrete**, and embedded steel connections.
- Automatically compile **comprehensive design reports** and track connection design status with model color coding.



- 64 bit architecture and user-friendly interface with ribbon toolbar, macro galleries, smart wizards and filters.
- Create macro presets for any connection or modeling macro using your **favorite settings** and **company standards**. Seamlessly update any changes in **ProtaStructure** models to **ProtaSteel**.
- Fully-flexible **Automatic Part and Assembly Numbering** that intelligently manages part-marks on subsequent revisions of the model.
- Automatically prepare all **General Arrangement Drawings, Truss Details, Connection Details, Assembly, Part and Shop Drawings** with **SI and Imperial Units** support.
- Full **cutting lists** provide insight into efficient procurement and cost control. **Intelligent data** communication with **IFC's, NC's**, and Tekla Structures.
- Easily create your own user-defined connections using general purpose tools like **plate, bolt, weld, section, cut, chamfer** and **fillet** and use these connections at similar joints.




Internationality

● Headquarters

● Branch Offices

● Resellers



Become a

Prota Software Partner

Expand your business with Prota's Software Solutions

Please contact us at

www.protasoftware.com

globalsales@protasoftware.com

asiasales@protasoftware.com

Structural BIM Design Technology for a Connected World



www.protasoftware.com



© ProtaStructure Suite is a product of Prota Software. All Rights Reserved.

Prota HQ.
ODTÜ-Teknokent,
Galyum Binası
1. Kat No: 20 ODTÜ 06531
Ankara, Turkey
Tel: +90 312 210 1788

Prota Asia Pte Ltd
Level 39, 10 Marina Boulevard,
Marina Bay Financial Centre,
Tower 2, 018983 Singapore
Tel: +65 6818 5766

Prota Asia Sdn Bhd
Unit 20-13A, Q Sentral,
Jalan Stesen Sentral 2,
KL Sentral, 50470
Kuala Lumpur, Malaysia
Tel: +603 2276 3355

Prota Poland
ul. Wspólna 35 lok.12
Śródmieście 00-519
Warsaw, Poland
Tel: +48 22 114 17 15